

Artisan Door Models

Explanation of Materials Used

Wood Doors

TimberLife Accoya Series

TimberLife Accoya is a naturally modified timber that's low maintenance and has a 50-year guarantee above ground and a 25-year guarantee in freshwater.

General Information

- The ultimate in long product life and performance.
- Gold standard of eco-friendly material.
- Accoya frames come standard up to 12' wide.
- Available with R18 insulated steel frames.

Maintenance

- Depending on exposure, factory finishes can last up to several years or longer without maintenance.
- Stain and paint finishes last longer owing to the dimensional stability of the timber.
- Easy to apply Sansin ENS topcoat is recommended for stains.
- High UV/sunlight is the most difficult environment and will require more frequent maintenance.

Medallion Series

The Medallion series offers rich details and high-end styling that only comes from using real wood. Whether you're looking for a timeless exterior or a custom look, we can turn your vision into a reality.

General Information

- Exotic hardwoods (Mahogany, Spanish Cedar, and others) and high-grade softwoods (Western Red Cedar, Douglas fir) overlay on solid wood insulated frames (R6).
- Standard marine-grade plywood back and front with insulated wood core (R6).
- Available with R18 insulated steel frames.
- Factory staining uses Sansin Enviro Stain and high-quality Klima paints by Ilva, Fine Paints of Europe, and approved others.

Maintenance

- Depending on exposure, factory structures are typically maintenance-free for 3 to 5 or more years.
- Easy to apply maintenance topcoat (Sansin ENS) available from Artisan or Sansin dealers.
- Doors should be examined every 6 to 12 months for wear on the finish.

Wood Composite Doors

Benchmark Series

Benchmark garage doors have the look and feel of real wood that's affordable, energy-efficient, and eco-friendly. However, because it's made of composite material, it's moisture-, insect-, and rot-resistant, while being low maintenance.

General Information

- Extira trim with Tricoya panels laminated to an insulated wood frame with a marine-grade plywood interior.
- Paint grade door is factory-primed standard.
- Factory Paint is available in any color.
- Double-wide doors are standard with an R18 steel insulated frame.
- Steel frame available in single-size doors.

Maintenance

- This composite wood door material is low maintenance.
- Extira and Tricoya are water-resistant materials and offer long-life performance of up to and beyond 25 years with proper maintenance.
- No restrictions on exposure to UV/sunlight with dark colors.

Benchmark 2 Series

Combining affordability and customization, Benchmark 2 is made from top-tier industry materials and can match the look of any home. All standard designs are available at no additional cost.

General Information

- ½" Extira with routed CNC designs laminated to an insulated wood frame with a marine-grade plywood interior.
- Paint grade door is factory-primed standard and available in any color.
- Double-wide doors are standard with an R18 frame.
- Steel frame available in single-size doors.

Maintenance

- No restrictions on exposure to UV/sunlight with dark colors except Flat Panels.
- Factory paint will last 3-5 years.
- This is a lower maintenance option but it should be inspected annually.

Wood Composite Doors

TimberLife Tricoya Series

TimberLife Tricoya® is made of modified wood, which uses acetylation technology to prevent the cells in wood from absorbing water. The result is a beautiful and sustainable garage door that combines durability, dimensional stability, and versatility.

General Information

- ¾" Tricoya trim and ½" panels laminated to an R18 insulated steel frame.
- Available in any paint color and factory faux stains.

Maintenance

- Factory paint and faux stains will last up to 10 years, depending on exposure to UV/sunlight.
- Easy to apply clear topcoat available for field maintenance from Artisan.

ICON™ Series

From modern minimalism to classic curb appeal, ICON™'s wrapped finish complements a wide range of home styles, offering a bold and enduring statement piece.

General Information

- Our most advanced garage door yet.
- Engineered with TimberLife® Tricoya® at its core, ICON resists rot, swelling, and warping.
- Available in five matte finishes.
- Backed by a 50-year limited material warranty.

Maintenance

- Wrapped in a next-generation coating with 20-year finish protection and UV defense for at least 10 years.
- No re-staining or topcoats. Just a gentle wash now and then to keep your ICON™ door looking like new.

Vinyl Doors

Prelude 2 Series

Prelude 2, our affordable garage door, captures the look of carriage house doors with the benefits of durable cellular vinyl. Unlike traditional wood doors, a custom Prelude 2 won't require constant repainting and sealing.

General Information

- ½" CNC routed panels laminated to an R8 insulated steel frame.
- R18 is available.
- Can choose from paint colors above LRV 60.
- To further enhance weather resistance and energy efficiency, add a vinyl garage door seal around the door's perimeter.

Maintenance

- Factory paint will last 10 years or more.
- Moisture-, weather-, insect-, and rot-resistant.
- Low maintenance.

Symphony Series

Symphony is a stylish steel-insulated garage with a vinyl face door that offers lasting durability without the constant upkeep of traditional wood. It offers superior weather resistance and insulation, making Symphony the perfect blend of beauty and practicality for your home.

General Information

- ¾" trim and ¼" panels laminated to an R18 insulated steel frame.
- Uses paint colors above LRV 60 (Light Reflective Value).

Maintenance

- Factory paint will last 10 years and more.
- Crafted to be low-maintenance.

Faux Wood Doors

Quartet Series

Quartet combines faux hardwood with insulated steel to provide architects and homeowners with a durable, energy-efficient garage door that captures the authentic look and feel of real-wood carriage-house styling.

General Information

- Steel frame and faux wood facing provide a stylish, low-maintenance garage door option.
- Face frame boards are molded in the subtle textures and patterns of quarter-sawn oak.
- Features an energy-efficient insulated steel core frame with an R-value of 16.
- Hidden fastening techniques provide a clean, mark-free exterior surface.

Maintenance

- Durable face is moisture-, crack-, insect-, and decay-resistant for minimal upkeep.
- The urethane facing can withstand the high temperatures from sun exposure.

